



ПИСТОЛЕТЫ ДЛЯ ЗАПРАВКИ

EASYOIL

Технические характеристики

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: psu@nt-rt.ru || www.piusi.nt-rt.ru

**MADE
IN
ITALY**

E NOZZLE ASYOIL

EN. Oil Dispensing Nozzles. The “Easyoil” is a new dispensing nozzle specifically designed for the industry.

The aluminum body is resistant to high pressure.

The plastic, anti-shock handgrip is available in several colours.

A balanced valve reduces pressure on the trigger.

ES. Pistolas para el suministro de aceite.

“Easyoil” es una nueva pistola estudiada especialmente para los operadores del sector. Cuerpo de aluminio resistente a elevadas presiones. Empuñadura de plástico antichoque, disponible en varios colores.

Válvula balanceada para reducir la presión sobre el gatillo.

RU. Пистолет для подачи масла. “Easyoil”

является новым пистолетом, специально предусмотренным для людей, работающих в отрасли. Прочный алюминиевый корпус, стойкий к высокому давлению. Пластиковая противоударная рукоятка различных цветов. Сбалансированный клапан позволяет снизить давление на спусковой рычаг.


PERFORMANCE

- Flow rate up to 30 l/min
- Operating pressure 70 bar

- Caudal hasta 30 l/min
- Presión de funcionamiento 70 bares

- Расход до 30 л/мин
- Рабочее давление 70 бар

DIMENSIONS



PRODUCTS' RANGE WEIGHT AND PACKAGING

Code	Weight		Packaging		
	kg	lbs	mm	inch	pcs/box
F0096600A	0,45	1	203x320x88	8x12,6x3,5	1
F00966130	1,2	2,6	203x320x88	8x12,6x3,5	1
F00966140	1,2	2,6	203x320x88	8x12,6x3,5	1
F00966150	1,2	2,6	203x320x88	8x12,6x3,5	1

NOZZLE

Flow-rate

up to
30 l/min

Work. pressure

+/-
70 bar



ON REQUEST

Rigid spouts:

Code **FO0665000**
Rigid Spout A/P
with automatic
anti-drip valve (A)

Code **FO067000A**
Rigid Spout B/P (B)

Code **FO067002A**
Rigid Spout 90 mm B/P (B)

Code **000934000**
Rigid Spout HF with manual anti-drip valve (C)

Code **000938000**
Rigid Spout LF with manual anti-drip valve (D)




Flexible spouts:

Code **FO0666000**
Flexible Spout A/P
with automatic
anti-drip valve (A)

Code **FO067100A**
Flexible Spout B/P (B)

Code **000935000**
Flexible Spout HF with
manual anti-drip valve (C)

Code **FO0939000**
Flexible Spout LF with manual anti-drip valve (D)



Flexible spouts:

Code **000669000**
Rotating Spout A/P with
automatic anti-drip valve



EASY OIL nozzle




EASY OIL nozzle
+ swivel
+ rigid spout




EASY OIL nozzle
+ swivel
+ flexible spout

FEATURES



Trigger lock



Filter

Code **FO9949000**



Swivel 12. 12 BSP

Code **FO845600A**
Available with NPT
thread

ON REQUEST

Color Code system



Handgrip

- F0096600A
- F0096605B
- F0096604A
- F0096603B
- F0096606A



Swivel rubber protectors

- F09659000
- F09757000
- F09758000
- F09899000
- F09955000

PRODUCTS' RANGE TECHNICAL DATA

Code	Description	Fluids type	Spout		Inlet	
			Rotating	Rigid Flexible		
F0096600A	Easyoil FF 1/2" x 1/2" BSP	☉	-	-	1/2" BSP	
F00966130	Easyoil + Swivel 1/2" + Rigid spout	☉	-	YES	1/2" BSP	
F00966140	Easyoil + Swivel 1/2" + Flexible spout	☉	-	-	YES	1/2" BSP
F00966150	Easyoil + Swivel 1/2" + Rotating spout	☉	YES	-	-	1/2" BSP



По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: psu@nt-rt.ru || www.piusi.nt-rt.ru