



ФИЛЬТРЫ

FILTERS

Технические характеристики

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

**MADE
IN
ITALY**

FILTERING FILTERS

EN. Cartridge filter. Line filters with SPIN-ON cartridges are suitable for use on both the suction and flowback side of hydraulic or lubricating systems. They are available with 3/4" and 1" fittings.

ES. Filtro con cartucho. Los filtros en línea con cartucho roscable desechable (SPIN-ON) son aptos para ser aplicados tanto en la aspiración como en el retorno de instalaciones hidráulicas y de lubricación. Están disponibles con conexiones de 3/4" y 1".

RU. Патронный фильтр. Линейные патронные навинчивающиеся одноразовые фильтры (SPIN-ON) предназначены для использования как со стороны всасывания, так и на линии возврата гидравлических и смазочных установок. Предлагаются с соединениями 3/4" и 1".

PERFORMANCE

Filtering capacity 10 µm
Operating pressure 12 bar max


Capacidad de filtrado 10 -m
Presión de funcionamiento 12 bar máx.

- Фильтрующая способность 10 мкм
- Макс. рабочее давление 12 бар



PRODUCTS' RANGE WEIGHT AND PACKAGING

| Code | Product dimensions | | | | | Packaging | | | |
|------------------|--------------------|------|------|------|------------------------|-----------|---------------|-------------------|---------------------|
| | A mm | B mm | C mm | D mm | F | Weight kg | Dimensions mm | Cartridge pcs/box | Filter head pcs/box |
| F0777200A | - | 100 | 160 | 98 | - | 1 | 200x120x140 | 1 | 1 |
| F0914900A | - | 171 | 236 | 132 | - | 2,6 | 390x285x140 | 1 | 1 |
| F09149020 | - | 171 | 236 | 132 | - | 2,6 | 390x285x140 | 1 | 1 |
| F00611000 | 145 | - | - | 98 | 3/4" BSP | - | - | 1 | - |
| F09359000 | 180 | - | - | 132 | 1"1/4 BSP | - | - | 1 | - |
| F09359010 | 180 | - | - | 132 | 1"1/4 BSP | - | - | 1 | - |
| F16483010 | 139 | - | - | 93 | - | 9,2 | 500x300x200 | 15 | - |
| F14528000 | - | 100 | - | - | 3/4" BSP | - | - | - | 1 |
| F15743000 | - | 171 | - | - | 1"1/2-16 UNF 1"1/4 BSP | - | - | - | 1 |



FILTERING

ANTIFREEZE

BIO DIESEL

DIESEL

FOOD

GASOLINE

GREASE

KEROSENE

OIL


AdBlue®

WATER

WINDSCREEN



ON REQUEST



PRODUCTS' RANGE TECHNICAL DATA

| Code | Description | Fluids type | Flow-rate | | Inlet/Outlet BSP | Water absorbing | Efficiency β | Micro μm | Pression bar |
|--------------------------------|--------------------------------------|-------------|-----------|------|------------------|-----------------|--------------|----------|--------------|
| | | | l/min | gpm | | | | | |
| Filter for Fuel and Oil | | | | | | | | | |
| F0777200A | 60 l/min filter with head | B D G O | 60 | 15,9 | 1" | NO | 2 | 10 | 12 |
| F0914900A | 100 l/min filter with head | B D G O | 100 | 26,4 | 1" | NO | 2 | 10 | 12 |
| F09149020 | 100 l/min filter with head | B D G O | 100 | 26,4 | 1" | NO | 2 | 5 | 12 |
| F00611000 | Cartridge 60 l/min | B D G O | 60 | 15,9 | - | NO | 2 | 10 | 12 |
| F09359000 | Cartridge 100 l/min | B D G O | 100 | 26,4 | - | NO | 2 | 10 | 12 |
| F09359010 | Cartridge 100 l/min | B D G O | 100 | 26,4 | - | NO | 2 | 5 | 12 |
| F16483010 | Plusibox cartridge 60 l/min 15 (pcs) | B D G O | 60 | 15,9 | - | NO | 2 | 10 | 12 |
| F14528000 | Filter head 3/4 BSP 60 l/min | | - | - | 1" | NO | - | - | - |
| F15743000 | Filter head 100 l/min | | - | - | 1" | NO | - | 30 | - |



По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: psu@nt-rt.ru || www.piusi.nt-rt.ru